

Smooth & Seamless

Hygienic Doors for the Food Sector



Applications:

- Food Processing Factories
- Bakeries
- Supermarkets
- Dairies
- Abattoirs
- Kitchen/Catering Facilities
- Breweries

- Bacteria Resistant
- Water Resistant
- Fire Resistant
- Impact Resistant



GRP Hinged, fire/non fire rated Hygienic Doors



GRP Sliding, fire/non fire rated Hygienic Doors



Hinged/Sliding, Insulated Chiller Freezer Doors




Hygienic Rapid Roller Doors




High Impact Hygienic Traffic Doors

Why Use GRP Doors?

- Smooth seamless doorblade, which is easy to clean, will not harbour bacteria
- Built in colour, - maintenance free
- Available with antibacterial protection
- Lightweight, strong, durable
- Water resistant – will not warp, swell, rust, or rot.
- Fire resistant up to four hours
(patented concealed intumescent strip)



Fire resistance up to four hours to BS 476 Part 22, with patented concealed intumescent strip - maintaining the seamless construction



Dortek Hygienic Doors for the Food Industry

Used by everyone throughout your facility, doors can be a major source of contamination spread, if incorrectly specified.

Dorteks range of doors meet the increasing standards of hygiene, food safety and fire insurance requirements of the food industry, which states; **“doors must be easy to clean, disinfect, and have a smooth non-absorbant surface”** (General Food Hygiene Regulations 1995).

About Us

Dortek manufacture, supply and install a range of hygienic doors developed specifically for the Food Industry. With a 35 year manufacturing history, Dortek provide confidence from initial specification through to installation and service.

GRP DOORS

- Hinged and sliding seamless moulded GRP doors in a range of built-in standard colours. Easy to clean ideal in wet areas requiring little maintenance. Full range of factory fitted quality door fittings to clients specification.
- Fire resistance up to 4 hours tested to BS476 with patented hygienic concealed intumescent strips maintaining the seamless construction.
- Choice of frames in GRP, stainless steel or aluminium for insulated panels or masonry/steel constructions.
- Manual or automatic operation with safe reliable electric drive units fully compliant to the latest standards

CHILLER/FREEZER DOORS

- Hinged and sliding insulated doors finished in food safe white coated or stainless steel sheet for temperatures down to -30 C.
- Robust construction with heavy duty rail system and furniture
- Fire resistance up to 1 Hour in accordance with the new European NEN-EN 1634-1: 2001 standards
- Frames in food safe white coated or stainless steel sheet
- Manual or automatic operation with safe reliable electric drive units fully compliant to the latest standards

RAPID ROLLER DOORS

- Fast acting roller doors for internal and external use with tough multilayer polyester anti-static door panel and unique patented balance system
- Side and top covers in a choice of food safe or stainless steel sheet
- Reliable safe drive with variable speeds up to 2.5 metres per second




The Dorteck Range of Foodsafe Doors

- GRP Hygienic Doors
- Insulated Chiller/Freezer Doors
- Fast Acting Doors

'F TYPE' Fire Doors

Hinged or sliding • Single or pairs

- GRP seamless moulded - no ledges or seams - 40 mm thick
- GRP frames with patented concealed intumescent strip
- Integral colour
- Up to 4 hours fire resistance Tested to BS 476 part 22
- Wide range of factory fitted ironmongery, vision panels and protection
- Manual or automatic



Wen-plast®
Hygienic Sliding Doors
K type, Single and Bi-Parting
Insulated Doors

RAW MATERIALS

PROCESSING

PACKAGING


CHILL STORE

CHANGING

Wen-plast® Hygienic Doors,
K type, Single Action Insulated

Wen-plast® Hygienic Fire Doors
Fire resistant up to 240 min
Single Action

Food Processing Factories
Bakeries
Supermarkets
Dairies
Abattoirs
Kitchen/Catering Facilities
Breweries




Chiller and Freezer Sliding Doors
(inc. 1 hour fire resistance)



Chiller and Freezer Hinged Doors



Dortek Rapid Roller Doors



Insulated Sliding Doors



Wen-plast® Hygienic Traffic Doors,
S Type Double Action
R Type Double Action



Wen-plast® Hygienic Doors,
K Type Double Action Insulated

Performance Free Hygienic Performance

Other door systems from DorteK



Hermetically Sealing



Fast Acting



Gas Tight

Frame Options

- GRP frame
- Fire rated GRP frame with patented concealed intumescent strip
- Various stainless steel frames
- Aluminium wrap-around frame for wall panels



GRP frame



Wrap around aluminium or stainless steel frames

Installation & Service

All installations and service calls are carried out nationwide by our own fully trained engineers.

Service contract details are available on request



Mobile Exhibition Vehicle. With full working models of our hygienic door systems. Available for CPD presentations and site visits. Contact DorteK to arrange a booking.



St Mark Street,
Hull HU8 7ED England
Tel: +44 (0) 1482 226 848
Fax: +44 (0) 1482 226 843
email: sales@dortek.com

Wen-plast/DorteK, Ireland

North Quay, Wicklow Town,
County Wicklow Ireland
Tel: +353 (0) 404 67101
Fax: +353 (0) 404 67012
email: ireland@dortek.com

www.dortek.com

